

(学術論文)

[原著 (査読ありの投稿論文), 欧文]

▲は責任著者=Corresponding Author (筆頭著者=First Author と重複していないものです)

1. Inoue S, Tanaka S, [Shimodera S](#), Mino Y: Expressed emotion and social function. *Psychiatry Res* 72:33-39, 1997
2. [Shimodera S](#), Inoue S, Tanaka S, Mino Y: Critical comments made to schizophrenic patients by their families in Japan. *Compr Psychiat* 39(2):85-90, 1998
3. Mino Y, Inoue S, [Shimodera S](#), Tanaka S, Tsuda T, Yamamoto E: Expressed emotion of families and negative/depressive symptoms in schizophrenia; a cohort study in Japan. *Schizophr Res* 34:159-168, 1998
4. [Shimodera S](#), Mino Y, Inoue S, Izumoto Y, Kishi Y, Tanaka S: Validity of a five-minute speech sample in measuring expressed emotion in the families of patients with schizophrenia in Japan. *Compr Psychiat* 40(5):372-376, 1999
5. [Shimodera S](#), Mino Y, Inoue S, Izumoto Y, Fujita H, Ujihara H: Expressed emotion and family distress in relatives of patients with schizophrenia in Japan. *Compr Psychiat* 41(5):392-397, 2000
6. Mino Y, Inoue S, [Shimodera S](#), Tanaka S: Evaluation of expressed emotion (EE) status in mood disorders in Japan; inter-rater reliability and characteristics of EE. *Psychiatry Res* 94:221-227, 2000
7. [Shimodera S](#), Inoue S, Mino Y, Tanaka S, Kii M, Motoki Y: Expressed emotion and Psychoeducational intervention for relatives of patients with schizophrenia; a randomized controlled study in Japan. *Psychiatry Res* 96:141-148, 2000
8. Mino Y, [Shimodera S](#), Inoue S, Fujita H, Tanaka S, Kanazawa S: Expressed emotion of families and the course of mood disorders; a cohort study in Japan. *J Affect Disord* 63:43-49, 2001
9. Mino Y, Yasuda N, Tsuda T, [Shimodera S](#): Effects of a one-hour educational program on medical students' attitudes to mental illness. *Psychiatry Clin Neurosci* 55:501-507, 2001
10. Fujita H, [Shimodera S](#), Izumoto Y, Tanaka S, Kii M, Mino Y, Inoue S: Family attitude scale; measurement of criticism in the relatives of patients with schizophrenia in Japan. *Psychiatry Res* 110:273-280, 2002
11. [Shimodera S](#), Mino Y, Fujita H, Izumoto Y, Kamimura N, Inoue S: Validity of a five-minute speech sample for the measurement of expressed emotion in the families of Japanese patients with mood disorders. *Psychiatry Res* 112:231-237, 2002
12. Nomura H, Inoue S, Kamimura N, [Shimodera S](#), Mino Y, Gregg L, Tarrrier N: A cross-cultural study on expressed emotion in carers of people with dementia and schizophrenia; Japan and England. *Soc Psychiatry Psychiatr Epidemiol* 40:564-570, 2005
13. Mino Y, [Shimodera S](#), Inoue S, Fujita H, Fukuzawa K: Medical cost analysis of family psychoeducation for schizophrenia.

Psychiatry Clin Neurosci 61:20–24, 2007

- ▲ 1 4. Chan H, Inoue S, [Shimodera S](#), Fujita H, Fukuzawa K, Kii M, Kamimura N, Kato K, Mino Y: Residential program for long-term hospitalized persons with mental illness in Japan; randomized controlled trial. Psychiatry Clin Neurosci 61:515–521, 2007
- 1 5. Sota S, [Shimodera S](#), Kii M, Okamura K, Suto K, Suwaki M, Fujita H, Fujito R, Inoue S: Effect of a family psychoeducational program on relatives of schizophrenia patients. Psychiatry Clin Neurosci 62:379–385, 2008
- 1 6. Imamura A, Nishida A, Nakazawa N, [Shimodera S](#), Tanaka G, Kinoshita H, Ozawa H, Okazaki Y: Effects of cellular phone email use on the mental health of junior high school students in Japan. Psychiatry Clin Neurosci 63:703, 2009
- 1 7. Mino Y, Oshima I, [Shimodera S](#): Association between feasibility of discharge, clinical state, and patient attitude among inpatients with schizophrenia in Japan. Psychiatry Clin Neurosci 63:344–349, 2009
- 1 8. Nishii H, Yamazawa R, [Shimodera S](#), Suzuki M, Hasegawa T, Mizuno M: Clinical and social determinants of a longer duration of untreated psychosis of schizophrenia in a Japanese population. Early Interv Psychiatry 4:182–188, 2010
- 1 9. Nishida A, Sasaki T, Nishimura Y, Tanii H, Hara N, Inoue K, Yamada T, Takami T, [Shimodera S](#), Itokawa M, Asukai N, Okazaki Y: Psychotic-like experiences are associated with suicidal feelings and deliberate self-harm behaviors in adolescents aged 12–15 years. Acta Psychiatr Scand 121:301–307, 2010
- 2 0. Oshima N, Nishida A, Fukushima M, [Shimodera S](#), Kasai K, Okazaki Y, Sasaki T: Psychotic-like experiences (PLEs) and mental health status in twin and singleton Japanese high school students. Early Interv Psychiatry 3:206–213, 2010 (IF2.400)
- 2 1. Yamamoto N, Inada T, [Shimodera S](#), Morokuma I, Furukawa TA: Brief PANSS to assess and monitor the overall severity of schizophrenia. Psychiatry Clin Neurosci 64:262–267, 2010
- ▲ 2 2. Shimazu K, [Shimodera S](#), Mino Y, Nishida A, Kamimura N, Sawada K, Fujita H, Furukawa TA, Inoue S: Family psychoeducation for major depression; randomized controlled trial. Br J Psychiatry 198:385–390, 2011
- 2 3. Kinoshita Y & [Shimodera S](#), Nishida A, Kinoshita K, Watanabe N, Oshima N, Akechi T, Sasaki T, Inoue S, Furukawa TA, Okazaki Y: Psychotic-like experiences are associated with violent behavior in adolescents. Schizophr Res 126:245–251, 2011
- 2 4. Kawano M, Sawada K, Tsuru E, Nishihara M, Kato K, Honer WG, [Shimodera S](#): Dopamine receptor D3R and D4R mRNA levels in peripheral lymphocytes in patients with schizophrenia correlate with severity of illness. OJPsych 1:33–39, 2011
- 2 5. Watanabe N, Furukawa TA, [Shimodera S](#), Morokuma I, Katsuki F, Fujita H, Sasaki M, Kawamura C, Perlis ML: Brief behavioral therapy for refractory insomnia in residual depression; an assessor-blind, randomized controlled trial.

- J Clin Psychiatry 72(12):1651–1658, 2011
- 2 6. Furukawa TA, Akechi T, [Shimodera S](#), Yamada M, Miki K, Watanabe N, Inagaki M, Yonemoto N: Strategic use of new generation antidepressants for depression; SUN-D study protocol. *Trials* 12(116):1–20, 2011
- 2 7. [Shimodera S](#), Shimazu K, Nishida A, Kamimura N, Fujita H, Inoue S, Furukawa TA: Author's reply to Partha Sarathi Biswas. *Br J Psychiatry* 199:165–166, 2011
- 2 8. Yonemoto N, Akechi T, [Shimodera S](#), Yamada M, Miki K, Watanabe N, Inagaki M, Furukawa TA: Strategic use of new generation antidepressants for depression; SUN-D study design and rationale. *Trials* 12(1). A106:1–2, 2011
- 2 9. [Shimodera S](#): Author's reply to Bichitra N. Patra. *Br J Psychiatry* 200:82–83, 2012
- ▲ 3 0. Lihong Q, [Shimodera S](#), Fujita H, Morokuma I, Nishida A, Kamimura N, Mizuno M, Furukawa TA, Inoue S: Duration of untreated psychosis in a rural/suburban region of Japan. *Early Interv Psychiatry* 6:239–246, 2012
- 3 1. [Shimodera S](#), Kawamura A, Furukawa TA: Physical pain associated with depression; results of a survey in Japanese patients and physicians. *Compr Psychiat* 53:843–849, 2012
- 3 2. [Shimodera S](#), Imai Y, Kamimura N, Morokuma I, Fujita H, Inoue S, Furukawa TA: Mapping hypofrontality during letter fluency task in schizophrenia; a multi-channel near-infrared spectroscopy study. *Schizophr Res* 136:63–69, 2012
- 3 3. [Shimodera S](#), Furukawa TA, Mino Y, Shimazu K, Nishida A, Inoue S: Cost-effectiveness of family psychoeducation to prevent relapse in major depression; results from a randomized controlled trial. *BMC Psychiatry* 12(40):1–6, 2012
- 3 4. Ikeda M, Aleksic B, Yamada K, Iwayama-Shigeno Y, Matsuo K, Numata S, Watanabe Y, Ohnuma T, Kaneko T, Fukuo Y, Okochi T, Toyota T, Hattori E, [Shimodera S](#), Itakura M, Nunokawa A, Shibata N, Tanaka H, Yoneda H, Arai H, Someya T, Ohmori T, Yoshikawa T, Ozaki N, Iwata N: Genetic evidence for association between NOTCH4 and schizophrenia supported by a GWAS follow-up study in a Japanese population. *Mol Psychiatr* 1–2:1–8, 2012
- ▲ 3 5. Oshima N, Nishida A, [Shimodera S](#), Tochigi M, Ando S, Yamasaki S, Okazaki Y, Sasaki T: The suicidal feelings, self-injury, and mobile phone use after lights out in adolescents. *J Pediatr Psychol* 37(9):1023–1030, 2012
- 3 6. Kinoshita K, Kinoshita Y, [Shimodera S](#), Nishida A, Inoue K, Watanabe N, Oshima N, Akechi T, Sasaki T, Inoue S, Furukawa TA, Okazaki Y: Not only body weight perception but also body mass index is relevant to suicidal ideation and self-harming behavior in Japanese adolescents. *J Nerv Ment Dis* 200(4) : 305–309, 2012
- ▲ 3 7. Watanabe N & Nishida A, [Shimodera S](#), Inoue K, Oshima N, Sasaki T, Inoue S, Akechi T, Furukawa TA, Okazaki Y: Deliberate self-harm in adolescents aged 12 – 18; a cross-sectional survey of 18,104 students. *Suicide Life Threat Behav* 42(5): 550–560, 2012

- 3 8.** [Shimodera S](#), Kato T, Sato H, Miki K, Shinagawa Y, Kondo M, Fujita H, Morokuma I, Ikeda Y, Akechi T, Watanabe N, Yamada M, Inagaki M, Yonemoto N, Furukawa TA: The first 100 patients in the SUN-D trial (strategic use of new generation antidepressants for depression); examination of feasibility and adherence during the pilot phase. *Trials* 13(80):1-11, 2012
- 3 9.** Kubo T, Sato T, Noguchi T, Kitaoka H, Yamasaki F, Kamimura N, [Shimodera S](#), Iiyama T, Kumagai N, Kakinuma Y, Diedrich A, Jordan J, Robertson D, Doi YL: Influences of donepezil on cardiovascular system – possible therapeutic benefits for heart failure – Donepezil Cardiac Test Registry (DOCTER) Study. *J Cardiovasc Pharmacol* 60(3):310-314, 2012
- 4 0.** Kinoshita M, Numata S, Tajima A, Ohi K, Hashimoto R, [Shimodera S](#), Imoto I, Itakura M, Takeda M, Ohmori T: Meta-analysis of association studies between DISC1 missense variants and schizophrenia in the Japanese population. *Schizophr Res* 141:271-273, 2012
- ▲ **4 1.** Tochigi M, Nishida A, [Shimodera S](#), Oshima N, Inoue K, Okazaki Y, Sasaki T: Irregular bedtime and nocturnal cellular phone usage as risk factors for being involved in bullying; a cross-sectional survey of Japanese adolescents. *PLoS ONE* 7(9):1-6, 2012
- 4 2.** [Shimodera S](#), Yonekura Y, Yamaguchi S, Kawamura A, Mizuno M, Inoue S, Furukawa TA, Mino Y : Bipolar I disorder and expressed emotion of families; a cohort study in Japan. *OJPsych* 2:258-261, 2012
- 4 3.** An SK, Chan SK, Chang WC, Chen EY, Chong SA, Chung YC, Hui CL, Hwu HG, Iwata N, Irmansyah I, Jang JH, Kwon JS, Lee JC, Lee HM, Lee EH, Li T, Liu Z, Ma X, Mangala R, Marchira C, Matsumoto K, Mizuno M, [Shimodera S](#), Subandi MA, Suzuki M, Tay SA, Thara R, Verma SK, Wong GH: Early psychosis declaration for Asia by the Asian network of early psychosis. *East Asian Arch Psychiatry* 22(3):90-93, 2012
- ▲ **4 4.** Watanabe N, Nishida A, [Shimodera S](#), Inoue K, Oshima N, Sasaki T, Inoue S, Akechi T, Furukawa TA, Okazaki Y: Help seeking behaviors among Japanese school students who self-harm; results from a self-report survey with 18,104 adolescents. *Neuropsychiatr Dis Treat* 8:561-569, 2012
- 4 5.** [Shimodera S](#), Imai Y, Kamimura N, Morokuma I, Fujita H, Inoue S, Furukawa TA: Near-infrared spectroscopy (NIRS) of bipolar disorder may be distinct from that of unipolar depression and of healthy controls. *Asia-Pac Psychiatry* 4(4):258-265, 2012
- ▲ **4 6.** Tochigi M, Nishida A, [Shimodera S](#), Okazaki Y, Sasaki T: Season of birth effect on psychotic-like experiences in Japanese adolescents. *Eur Child Adolesc Psychiatry*, 22:89-93, 2013
- 4 7.** Kinoshita M, Numata S, Tajima A, [Shimodera S](#), Ono S, Imamura A, Iga J, Watanabe S, Kikuchi K, Kubo H, Nakataki M, Sumitani S, Imoto I, Okazaki Y, Ohmori T: DNA methylation signatures of peripheral leukocytes in schizophrenia. *Neuromol Med* 15:95-101, 2013

- ▲ 4 8. Ando S, Yamasaki S, [Shimodera S](#), Sasaki T, Oshima N, Furukawa TA, Astukai N, Kasai K, Mino Y, Inoue S, Okazaki Y, Nishida A: A greater number of somatic pain sites is associated with poor mental health in adolescents: a cross-sectional study. *BMC Psychiatry* 17:13–30, 2013
- 4 9. Kinoshita M, Numata S, Tajima A, [Shimodera S](#), Imoto I, Ohmori T: Plasma total homocysteine is associated with DNA methylation in patients with schizophrenia. *Epigenetics* 8:584–90, 2013
- ▲ 5 0. Morokuma I, [Shimodera S](#), Fujita H, Hashizume H, Kamimura N, Kawamura A, Nishida A, Furukawa TA, Inoue S: Psychoeducation for major depressive disorders: a randomised controlled trial. *Psychiatry Res* 210:134–9, 2013
- 5 1. Watanabe N, Furukawa TA, [Shimodera S](#), Katsuki F, Fujita H, Sasaki M, Suga Y, Kakeda K, Perlis ML: Can assessors in a psychotherapy trial be successfully blinded? Analysis of a randomized controlled trial on psychotherapy for refractory insomnia in residual depression. *Psychother Psychosom* 82:401–3, 2013
- ▲ 5 2. Kawamura A, [Shimodera S](#), Furukawa TA, Kumagai N, Nishida A, Mizuno M, Inoue S: Effect of depression-related somatic pain on treatment satisfaction and daily living functions. *Int J Psychiatry Med* 46:27–38, 2013
- ▲ 5 3. Furukawa TA, Watanabe N, Kinoshita Y, Kinoshita K, Sasaki T, Nishida A, Okazaki Y, [Shimodera S](#): Public speaking fears and their correlates among 17,615 Japanese adolescents. *Asia-Pac Psychiatry* 6:99–104 2014
- 5 4. Nishi A, Numata S, Tajima A, Kinoshita M, Kikuchi K, [Shimodera S](#), Tomotake M, Ohi K, Hashimoto R, Imoto I, Takeda M, Ohmori T: Meta-analyses of Blood Homocysteine Levels for Gender and Genetic Association Studies of the MTHFR C677T Polymorphism in Schizophrenia. *Schizophr Bull* 40:1154–63 2014
- 5 5. [Shimodera S](#), Watanabe N, Furukawa TA, Katsuki F, Fujita H, Sasaki M, Perlis ML: Change in quality of life after brief behavioral therapy for insomnia in concurrent depression: Analysis of the effects of a randomized controlled trial. *Journal of Clinical Sleep Medicine* 10:433–9, 2014
- 5 6. Nishida A, & [Shimodera S](#), Sasaki T, Richards M, Hatch SL, Yamasaki S, Usami S, Ando S, Asukai N, Okazaki Y.: Risk for suicidal problems in poor-help-seeking adolescents with psychotic-like experiences: findings from a cross-sectional survey of 16,131 adolescents. *Schizophr Res.* 159:257–62, 2014 (AN and SS contributed equally to this work)
- 5 7. Shiraishi N, Nishida A, [Shimodera S](#), Sasaki T, Oshima N, Watanabe N, Akechi T, Furukawa TA, Okazaki Y: Relationship between violent behavior and repeated weight-loss dieting among female adolescents in Japan. *PLoS One.* 9(9): e107744, 2014
- 5 8. Kitagawa Y, & [Shimodera S](#), Togo F, Okazaki Y, Nishida A, Sasaki T: Suicidal feelings interfere with help-seeking in bullied adolescents. *PLoS One* 9(9): e106031, 2014 (YK and SS contributed equally to this work)
- 5 9. Watanabe N, Furukawa TA, [Shimodera S](#), Katsuki F, Fujita H, Sasaki M, Sado M, Perlis ML: Cost-effectiveness of cognitive behavioral therapy for insomnia comorbid

with depression: Analysis of a randomized controlled trial. *Psychiatry Clin Neurosci* 69:335–43, 2015

6 0. Ito S, Nemoto T, Tsujino N, Ohmuro N, Matsumoto K, Matsuoka H, Tanaka K, Nishiyama S, Suzuki M, Kinoshita H, Ozawa H, Fujita H, [Shimodera S](#), Kishimoto T, Matsumoto K, Hasegawa T, Mizuno M: Differential impacts of duration of untreated psychosis (DUP) on cognitive function in first-episode schizophrenia according to mode of onset. *Eur Psychiatry*. 30:995–1001, 2015

6 1. Frank F, Wilk J, Kriston L, Meister R, [Shimodera S](#), Hesse K, Bitzer EM, Berger M, Hölzel LP.: Effectiveness of a brief psychoeducational group intervention for relatives on the course of disease in patients after inpatient depression treatment compared with treatment as usual—study protocol of a multisite randomised controlled trial. *BMC Psychiatry*. 15:259, 2015

6 2. Yonemoto N, Tanaka S, Furukawa TA, Kato T, Mantani A, Ogawa Y, Tajika A, Takeshima N, Hayasaka Y, Shinohara K, Miki K, Inagaki M, [Shimodera S](#), Akechi T, Yamada M, Watanabe N, Guyatt GH; SUN (^ ^) D Investigators: Strategic use of new generation antidepressants for depression: SUN (^ ^) D protocol update and statistical analysis plan. *Trials*. 16:459, 2015

6 3. Watanabe N, Horikoshi M, Yamada M, [Shimodera S](#), Akechi T, Miki K, Inagaki M, Yonemoto N, Imai H, Tajika A, Ogawa Y, Takeshima N, Hayasaka Y, Furukawa TA; Steering Committee of the Fun to Learn to Act and Think through Technology Project: Adding smartphone-based cognitive-behavior therapy to pharmacotherapy for major depression (FLATT project): study protocol for a randomized controlled trial. *Trials*. 16:293, 2015

6 4. Watanabe SY, Iga J, Ishii K, Numata S, [Shimodera S](#), Fujita H, Ohmori T: Biological tests for major depressive disorder that involve leukocyte gene expression assays. *J Psychiatr Res*. 66–67:1–6, 2015

6 5. Kawano M, Sawada K, [Shimodera S](#), Ogawa Y, Kariya S, Lang DJ, Inoue S, Honer WG: Hippocampal subfield volumes in first episode and chronic schizophrenia. *PLoS One*. 10(2):e0117785, 2015

6 6. Numata S, Ishii K, Tajima A, Iga J, Kinoshita M, Watanabe S, Umehara H, Fuchikami M, Okada S, Boku S, Hishimoto A, [Shimodera S](#), Imoto I, Morinobu S, Ohmori T: Blood diagnostic biomarkers for major depressive disorder using multiplex DNA methylation profiles: discovery and validation. *Epigenetics*. 10:135–41, 2015

6 7. Ojio Y, Nishida A, [Shimodera S](#), Togo F, Sasaki T: Sleep Duration Associated with the Lowest Risk of Depression/Anxiety in Adolescents. *Sleep*. 39:1555–62, 2016

6 8. Inoshita M, Numata S, Tajima A, Kinoshita M, Umehara H, Nakataki M, Ikeda M, Maruyama S, Yamamori H, Kanazawa T, [Shimodera S](#), Hashimoto R, Imoto I, Yoneda H, Iwata N, Ohmori T.: A significant causal association between C-reactive protein levels and schizophrenia. *Sci Rep*. 6:26105, 2016

6 9. Iga J, Watanabe SY, Numata S, Umehara H, Nishi A, Kinoshita M, Inoshita M, [Shimodera S](#), Fujita H, Ohmori T: Association study of polymorphism in the serotonin

transporter gene promoter, methylation profiles, and expression in patients with major depressive disorder. *Hum Psychopharmacol.* 31:193–9, 2016

▲ 7 0. Yamasaki S, Ando S, [Shimodera S](#), Endo K, Okazaki Y, Asukai N, Usami S, Nishida A, Sasaki T: The Recognition of Mental Illness, Schizophrenia Identification, and Help-Seeking from Friends in Late Adolescence. *PLoS One.* 11(3): e0151298, 2016

7 1. Fujito R, Kamimura N, Ikeda M, Koyama A, [Shimodera S](#), Morinobu S, Inoue S: Comparing the driving behaviours of individuals with frontotemporal lobar degeneration and those with Alzheimer's disease. *Psychogeriatrics.* 16:27–33, 2016

7 2. Fujikawa S, Ando S, [Shimodera S](#), Koike S, Usami S, Toriyama R, Kanata S, Sasaki T, Kasai K, Okazaki Y, Nishida A: The Association of Current Violence from Adult Family Members with Adolescent Bullying Involvement and Suicidal Feelings. *PLoS One* 11(10): e0163707, 2016.

▲ 7 3. Kitagawa Y, Ando S, Yamasaki S, Foo JC, Okazaki Y, [Shimodera S](#), Nishida A, Togo F, Sasaki T: Appetite loss as a potential predictor of suicidal ideation and self-harm in adolescents: A school-based study. *Appetite* 111:7–11, 2016

7 4. Ikeda M, Takahashi A, Kamatani Y, Okahisa Y, Kunugi H, Mori N, Sasaki T, Ohmori T, Okamoto Y, Kawasaki H, [Shimodera S](#), Kato T, Yoneda H, Yoshimura R, Iyo M, Matsuda K, Akiyama M, Ashikawa K, Kashiwase K, Tokunaga K, Kondo K, Saito T, Shimasaki A, Kawase K, Kitajima T, Matsuo K, Itokawa M, Someya T, Inada T, Hashimoto R, Inoue T, Akiyama K, Tanii H, Arai H, Kanba S, Ozaki N, Kusumi I, Yoshikawa T, Kubo M, Iwata N: A genome-wide association study identifies two novel susceptibility loci and trans population polygenicity associated with bipolar disorder. *Mol Psychiatry* doi: 10.1038/mp.2016.259. [Epub ahead of print], 2017

7 5. Kinoshita M, Numata S, Tajima A, Yamamori H, Yasuda Y, Fujimoto M, Watanabe S, Umehara H, [Shimodera S](#), Nakazawa T, Kikuchi M, Nakaya A, Hashimoto H, Imoto I, Hashimoto R, Ohmori T: Effect of Clozapine on DNA Methylation in Peripheral Leukocytes from Patients with Treatment-Resistant Schizophrenia. *Int J Mol Sci* 18(3). pii: E632, 2017

7 6. Ando S, Koike S, [Shimodera S](#), Fujito R, Sawada K, Terao T, Furukawa TA, Sasaki T, Inoue S, Asukai N, Okazaki Y, Nishida A: Lithium Levels in Tap Water and the Mental Health Problems of Adolescents: An Individual-Level Cross-Sectional Survey. *J Clin Psychiatry* 78(3): e252–e256, 2017

▲ 7 7. Endo K, Ando S, [Shimodera S](#), Yamasaki S, Usami S, Okazaki Y, Sasaki T, Richards M, Hatch S, Nishida A: Preference for Solitude, Social Isolation, Suicidal Ideation, and Self-Harm in Adolescents. *J Adolesc Health* 61(2):187–191, 2017

7 8. Morokuma Y, Endo K, Nishida A, Yamasaki S, Ando S, Morimoto Y, Nakanishi M, Okazaki Y, Furukawa TA, Morinobu S, [Shimodera S](#): Sex differences in auditory verbal hallucinations in early, middle and late adolescence: results from a survey of 17 451 Japanese students aged 12–18 years. *BMJ Open* 1;7(5):e015239, 2017

7 9. Nishi A, Numata S, Tajima A, Zhu X, Ito K, Saito A, Kato Y, Kinoshita M, [Shimodera S](#), Ono S, Ochi S, Imamura A, Kurotaki N, Ueno SI, Iwata N, Fukui K, Imoto I, Kamiya

A, Ohmori T : De novo non-synonymous TBL1XR1 mutation alters Wnt signaling activity. Sci Rep. 6;7(1):2887, 2017

8 0. Yukiko Tomioka, Shusuke Numata, Makoto Kinoshita, Hidehiro Umehara, Shin-ya Watanabe, Masahito Nakataki, Yoshimi Iwayama, Tomoko Toyota, Masashi Ikeda, Hidenaga Yamamori, [Shinji Shimodera](#), Atsushi Tajima, Ryota Hashimoto, Nakao Iwata, Takeo Yoshikawa, Tetsuro Ohmori : Decreased serum pyridoxal levels in schizophrenia: meta-analysis and Mendelian randomization analysis
J Psychiatry Neurosci. 2018

8 1. Toshi A Furukawa, Tadashi Kato, Tatsuo Akechi, [Shinji Shimodera](#), Naohiro Okada, Ichiro Yanai, Kyoka Ozaki, Ken Kinou : Dropouts in an Antidepressant Trial: How Do They Fare Afterwards? Psychother Psychosom 87(6):380-382, 2018

8 2. Toshi A Furukawa , Hissei Imai , Masaru Horikoshi , Shinji Shimodera , Takahiro Hiroe , Tadashi Funayama , Tatsuo Akechi , FLATT Investigators : Behavioral activation: Is it the expectation or achievement, of mastery or pleasure that contributes to improvement in depression ? J Affect Disord 238:336-341, 2018

8 3. Yosuke Suga , Keiichiro Yoshimoto , Shusuke Numata , [Shinji Shimodera](#) , Shogo Takamura , Naoto Kamimura , Ken Sawada , Hiromitsu Kazui , Tetsuro Ohmori , Shigeru Morinobu : Structural variation in the glycogen synthase kinase 3 β and brain-derived neurotrophic factor genes in Japanese patients with bipolar disorders
Neuropsychopharmacol Rep 40(1):46-51, 2020